

Push Fit Fittings



Price List LT-PFF0518
Effective Date: May 15, 2018
Supersedes June 28, 2016 Price List

Insta-Loc II® Push Fit Ball Valve

200 CWVP, max temp 250°F
No lead/DZR forged brass, full port
ANSI/NSF 61, NSF 14, ASSE 1061



Part No.	Size	Configuration	Model	List Price	Cs/Ct.
456-003NL	1/2"	Push	P-2200NL	22.83	100/10
456-004NL	3/4"	Push	P-2200NL	32.93	100/10
456-005NL	1"	Push	P-2200NL	53.88	50/5
456-023NL	1/2"	Push x Push	P-2200NL Drop Ear	26.77	100/10
456-024NL	3/4"	Push x Push	P-2200NL Drop Ear	33.97	100/10
456-025NL	1"	Push x Push	P-2200NL Drop Ear	60.29	50/5
456-013NL	1/2"	Push x FNPT	P-2200NL	25.25	100/10
456-014NL	3/4"	Push x FNPT	P-2200NL	35.59	100/10
456-015NL	1"	Push x FNPT	P-2200NL	63.35	50/5

Insta-Loc II® 1/4 Turn Push-Fit Chrome Plated Supply Stop

No lead forged brass
ISO 9002, 125 CWVP, max temp 120°F
ANSI/NSF 61, NSF 14, ASSE 1061



Removable Angle Valves


114-943NL	1/2" x 3/8"	Push x OD	T-595NL	10.92	120/5
114-944NL	1/2" x 1/4"	Push x OD	T-595NL	11.08	120/5

Removable Straight Valves

114-953NL	1/2" x 3/8"	Push x OD	T-596NL	10.56	120/5
114-954NL	1/2" x 1/4"	Push x OD	T-596NL	10.67	120/5

Insta-Loc II® Push Fit Fittings

200 CWVP, max temp 250°F
No lead/DZR forged brass
ANSI/NSF 61, NSF 14, ASSE 1061



Elbows

456-053NL	1/2"	Push	Elbow	12.46	80/20
456-084NL	3/4" x 1/2"	Push	Elbow	19.98	60/15
456-054NL	3/4"	Push	Elbow	20.48	60/15
456-055NL	1"	Push	Elbow	33.27	30/15
456-063NL	1/2"	Push x FNPT	Elbow	13.13	90/15
456-064NL	3/4"	Push x FNPT	Elbow	21.58	60/15
456-065NL	1"	Push x FNPT	Elbow	24.32	30/15
456-073NL	1/2"	Push x MNPT	Elbow	12.93	90/15
456-074NL	3/4"	Push x MNPT	Elbow	20.16	60/15
456-075NL	1"	Push x MNPT	Elbow	25.88	30/15

Insta-Loc II® Push Fit Fittings

200 CWP, max temp 250°F
No lead/DZR forged brass
ANSI/NSF 61, NSF 14, ASSE 1061



Push x FNPT Tee



Push x MNPT Tee



Push Tee



Drop Ear Tee w/ Valve



Tee w/ Valve



Drop Ear Tee w/ 3/8" OD Valve



Tee w/ 3/8" OD Valve



Test Cap



Slip Coupling Push

Part No.	Size	Configuration	Model	List Price	Cs/Ct.
Tees					
456-160NL	1/2"	Push x FNPT	Tee	21.39	100/25
456-161NL	3/4"	Push x FNPT	Tee	31.72	50/25
456-170NL	1/2"	Push x MNPT	Tee	17.38	120/20
456-171NL	3/4"	Push x MNPT	Tee	31.54	60/20
456-180NL	1/2"	Push	Tee	16.52	60/20
456-181NL	1/2" x 3/4"	Push	Tee	24.81	60/15
456-182NL	1/2" x 1"	Push	Tee	31.51	60/15
456-183NL	3/4" x 1/2" x 1/2"	Push	Tee	23.87	60/15
456-184NL	3/4" x 3/4" x 1/2"	Push	Tee	26.27	60/15
456-185NL	3/4" x 1/2" x 3/4"	Push	Tee	25.37	60/15
456-186NL	3/4"	Push	Tee	24.34	60/15
456-187NL	1" x 3/4"	Push	Tee	41.14	24/12
456-188NL	1"	Push	Tee	41.54	24/12
Drop Ear Tee with Icemaker Connection Valve					
456-153NL	1/2" x 1/2" x 1/4"	Push x Comp	DE Tee w/ Valve	23.40	60/15
456-151NL	3/4" x 3/4" x 1/4"	Push x Comp	DE Tee w/ Valve	27.10	15/1
Tee with Icemaker Connection Valve					
456-155NL	1/2" x 1/2" x 1/4"	Push x Comp	Tee w/ Valve	22.18	60/15
456-157NL	3/4" x 3/4" x 1/4"	Push x Comp	Tee w/ Valve	24.56	60/15
Drop Ear Tee with 3/8" OD Connection Valve					
456-154NL	1/2" x 1/2" x 3/8"	Push x Comp	DE Tee w/ Valve	25.12	15/1
456-152NL	3/4" x 3/4" x 3/8"	Push x Comp	DE Tee w/ Valve	27.44	60/15
Tee with 3/8" OD Connection Valve					
456-156NL	1/2" x 1/2" x 3/8"	Push x Comp	Tee w/ Valve	22.86	60/15
456-158NL	3/4" x 3/4" x 3/8"	Push x Comp	Tee w/ Valve	24.67	60/15
Test Caps					
456-483NL	1/2"	Push	Test Cap	6.92	120/30
456-484NL	3/4"	Push	Test Cap	11.21	60/20
456-485NL	1"	Push	Test Cap	14.38	30/15
Slip Couplings					
456-503NL	1/2"	Push	Slip Coupling	24.69	60/15
456-504NL	3/4"	Push	Slip Coupling	34.13	60/15
456-505NL	1"	Push	Slip Coupling	52.10	45/15

Insta-Loc II® Push Fit Fittings

200 CWP, max temp 250°F
No lead/DZR forged brass
ANSI/NSF 61, NSF 14, ASSE 1061



Coupling



Push x FNPT
Adapter



Push x MNPT
Adapter



Disconnect Tool



Insert Stiffener

Part No.	Size	Configuration	Model	List Price	Cs/Ct.
Couplings					
456-523NL	1/2"	Push	Coupling	11.08	120/30
456-524NL	3/4" x 1/2"	Push	Coupling	15.21	60/15
456-525NL	3/4"	Push	Coupling	15.17	60/15
456-526NL	1" x 3/4"	Push	Coupling	26.51	30/15
456-527NL	1"	Push	Coupling	24.36	30/15
Adapters					
456-703NL	1/2"	Push x FNPT	Adapter	9.10	120/30
456-704NL	1/2" x 3/4"	Push x FNPT	Adapter	13.87	60/15
456-705NL	3/4"	Push x FNPT	Adapter	13.89	60/15
456-706NL	1" x 3/4"	Push x FNPT	Adapter	21.48	30/15
456-707NL	1" x 1"	Push x FNPT	Adapter	22.93	30/15
456-753NL	1/2"	Push x MNPT	Adapter	8.80	120/30
456-754NL	1/2" x 3/4"	Push x MNPT	Adapter	13.63	60/15
456-755NL	3/4"	Push x MNPT	Adapter	14.92	60/15
456-756NL	1" x 3/4"	Push x MNPT	Adapter	21.28	30/15
456-757NL	1" x 1"	Push x MNPT	Adapter	22.61	30/15
Disconnect Tool					
456-803NL	1/2"	-	Disconnect Tool	2.75	-/100
456-804NL	3/4"	-	Disconnect Tool	2.75	500/100
456-805NL	1"	-	Disconnect Tool	3.03	250/50
Insert Stiffeners					
456-912NL	3/8"	-	Insert Stiffener	0.43	100/1
456-913NL	1/2"	-	Insert Stiffener	0.49	100/1
456-914NL	3/4"	-	Insert Stiffener	0.86	-/50
456-915NL	1"	-	Insert Stiffener	1.10	-/25

Turn-n-Loc™ Plastic Push Ball Valve

Naturally lead free
Full port 100 psi @ 150°F
ANSI/NSF 61, NSF 14, ASSE 1061



Push x Push
Ball Valve

465-082	3/8"	Push x Push	Ball Valve	13.17	240/40
465-083	1/2"	Push x Push	Ball Valve	16.03	180/30
465-084	3/4"	Push x Push	Ball Valve	18.94	40/10

Turn-n-Loc™ Plastic Push Fittings

Naturally lead free

150 psi @ 140°F & 100 psi @ 180°F max temp
ANSI/NSF 61, NSF 14, ASSE 1061

Part No.	Size	Configuration	Model	List Price	Cs/Ct.
----------	------	---------------	-------	------------	--------

Drop Ear Elbows

465-001	3/8"	Push x FNPT	Drop Ear Elbow	8.36	180/30
465-002	1/2"	Push x FNPT	Drop Ear Elbow	8.30	180/30



Drop Ear Elbow

Adapters

465-005	3/8" x 1/2"	Push x FNPT	Adapter	5.92	300/50
465-006	1/2"	Push x FNPT	Adapter	7.51	300/50
465-007	1/2" x 3/4"	Push x FNPT	Adapter	7.93	240/40
465-008	3/4"	Push x FNPT	Adapter	10.02	180/30
465-009	1"	Push x FNPT	Adapter	13.21	120/20



Push x FNPT
Adapter

465-010	1/2" x 3/4"	Push x FGHT	Adapter	8.63	120/20
---------	-------------	-------------	---------	------	--------

465-013	3/8" x 1/2"	Push x MNPT	Adapter	5.89	300/50
465-014	1/2"	Push x MNPT	Adapter	5.99	300/50
465-015	1/2" x 3/4"	Push x MNPT	Adapter	6.76	180/30
465-016	3/4"	Push x MNPT	Adapter	8.93	180/30
465-017	1"	Push x MNPT	Adapter	10.19	120/20



Push x MNPT
Adapter

Elbows

465-019	1/2"	Push x MNPT	Elbow	6.68	300/50
---------	------	-------------	-------	------	--------



Elbow

Swivel Elbows

465-020	1/2"	Push x FNPT	Swivel Elbow	6.59	240/40
465-021	1/2" x 3/4"	Push x FGHT	Swivel Elbow	8.66	240/40
465-022	1/2"	Push x Closet	Swivel Elbow	7.58	240/40



Swivel Elbow

Swivel Elbows - Brass

465-025	1/2"	Push x FNPT	Swivel Elbow	13.44	240/40
465-026	1/2" x 3/4"	Push x FGHT	Swivel Elbow	18.47	240/40
465-027	1/2" x 3/4"	Push x FNPT	Swivel Elbow	17.61	240/40



Swivel Elbow - Brass

Swivel Couplings

465-030	1/2"	Push x FNPT	Swivel Coupling	6.97	240/40
465-031	1/2" x 3/4"	Push x FGHT	Swivel Coupling	8.23	240/40
465-032	1/2"	Push x Closet	Swivel Coupling	7.40	240/40



Swivel Coupling
w/ Brass Nut

Swivel Couplings with Brass Nut

465-035	1/2"	Push x FNPT	Swivel Coupling	12.80	120/40
465-036	1/2" x 3/4"	Push x FGHT	Swivel Coupling	18.04	240/40
465-037	1/2"	Push x Closet	Swivel Coupling	16.92	240/40

Elbows

465-046	1/2"	Push x Push	Elbow	7.34	240/40
465-047	3/4"	Push x Push	Elbow	9.96	180/30



Elbow

Turn-n-Loc™

Naturally lead free
150 psi @ 140°F & 100 psi 180°F max temp
ANSI/NSF 61, NSF 14, ASSE 1061



Coupling



Tee

Part No.	Size	Configuration	Model	List Price	Cs/Ct.
Couplings					
465-054	1/2"	Push x Push	Coupling	7.09	200/1
465-055	3/4"	Push x Push	Coupling	9.58	180/30
465-056	1"	Push x Push	Coupling	14.34	120/20
Reducing Couplings					
465-058	1/2" x 3/8"	Push x Push	Reducing Coupling	7.09	240/40
465-059	3/4" x 1/2"	Push x Push	Reducing Coupling	8.71	180/30
465-060	1" x 3/4"	Push x Push	Reducing Coupling	12.56	144/1
Tees					
465-063	1/2"	Push x Push x Push	Tee	10.14	180/30
465-064	3/4"	Push x Push x Push	Tee	13.33	120/20
465-070	3/4" x 3/4" x 1/2"	Push x Push x Push	Tee	13.18	120/20

Mini-Loc™ Plastic Push Ball Valve

Naturally lead free
150 psi @ 140°F & 100 psi 180°F max temp
ANSI/NSF 61, NSF 14, ASSE 1061



Push x FNPT
Angle Ball Valve



Push x MNPT
Straight Ball Valve



Push x Push Straight
Ball Valve

465-071	1/4"	Push x FNPT	Angle Ball Valve	7.72	50/1
465-072	3/8"	Push x FNPT	Angle Ball Valve	8.33	100/1
465-075	1/4"	Push x MNPT	Straight Ball Valve	7.72	1200/200
465-076	3/8"	Push x MNPT	Straight Ball Valve	8.33	1200/200
465-079	1/4"	Push x Push	Straight Ball Valve	7.72	100/1
465-080	3/8"	Push x Push	Straight Ball Valve	8.33	100/1

Mini-Loc™ Plastic Push Fittings

Naturally lead free
ANSI/NSF 61, NSF 14, ASSE 1061
FDA compliant
1/4"/230 psi @ 34°F to 68°F, 150 psi @ 150°F
3/8"/170 psi @ 34°F to 68°F, 100 psi @ 150°F



Male Adapter



Tee



Female Adapter



Elbow



Coupling

Part No.	Size	Configuration	Model	List Price	Cs/Ct.
Male Adapters					
465-091	1/4" x 1/4"	Push x MNPT	Male Adapter	1.99	50/50
465-092	3/8" x 1/4"	Push x MNPT	Male Adapter	2.35	50/50
465-093	3/8" x 3/8"	Push x MNPT	Male Adapter	2.59	50/50
Male Elbows					
465-103	3/8" x 1/4"	Push x MNPT	Male Elbow	2.59	200/50
465-104	3/8" x 3/8"	Push x MNPT	Male Elbow	2.69	50/50
Tees					
465-110	1/4"	Push	Tee	3.59	50/50
465-111	3/8"	Push	Tee	3.99	250/50
Female Adapters					
465-116	1/4" x 1/4"*	Push x Comp	Adapter	2.66	50/50
465-117	3/8" x 1/4"*	Push x Comp	Adapter	3.56	600/50
* UNS 7/16"-24					
Elbows					
465-120	1/4"	Push x Push	Elbow	2.36	400/50
465-121	3/8"	Push x Push	Elbow	3.68	50/50
Couplings					
465-140	1/4"	Push x Push	Coupling	2.29	350/50
465-142	3/8" x 1/4"	Push x Push	Coupling	3.23	50/50
465-143	3/8"	Push x Push	Coupling	3.48	50/50

All Mini-Loc™ fittings are in bags of 50.

Did you know? Legend manufactures HyperPure® in Michigan - 100% recyclable and backed by our 100 year warranty.

**Downstream
Thinking**
It's all about Performance®



300 N. Opdyke Rd.

Auburn Hills, MI 48326

Phone: 800-752-2082

Fax: 800-835-4457

web: www.legendvalve.com

email: service@legendvalve.com